



(19) **United States**

(12) **Patent Application Publication**  
**Pance et al.**

(10) **Pub. No.: US 2011/0012717 A1**  
(43) **Pub. Date: Jan. 20, 2011**

(54) **METHOD AND APPARATUS FOR LOCALIZATION OF HAPTIC FEEDBACK**

(22) Filed: **Jul. 17, 2009**

**Publication Classification**

(75) Inventors: **Aleksandar Pance**, Saratoga, CA (US); **Paul Alioshin**, Palo Alto, CA (US); **Brett Bilbrey**, Sunnyvale, CA (US); **David Thomas Amm**, Sunnyvale, CA (US)

(51) **Int. Cl. G08B 6/00** (2006.01)  
(52) **U.S. Cl. .... 340/407.2**

(57) **ABSTRACT**

In an embodiment, a haptic feedback system includes a plurality of actuators to provide tactile feedback associated with an input surface. Each actuator is adapted to be activated independently of the other actuators. The system further includes a controller to activate a first actuator of the plurality of actuators to induce a first vibration at a selected input location of the input surface and to activate one or more additional actuators to induce at least a second vibration to localize the first vibration at the selected input location.

Correspondence Address:  
**SCHWEGMAN, LUNDBERG & WOESSNER/ APPLE**  
**PO BOX 2938, SUITE 300**  
**MINNEAPOLIS, MN 55402 (US)**

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(21) Appl. No.: **12/504,821**

500 ↘

