

- puCyte Corp., Cambridge, Mass.) can be readily adapted for use in the methods of the invention and/or reagents used in such assays may be used in the methods of the present invention. See, e.g., Adams et al., 2004, *Increase of Circulating Endothelial Progenitor Cells in Patients With Coronary Artery Disease After Exercise-Induced Ischemia*, *Arterioscler. Thromb. Vasc. Biol.*; Akimitsu et al., 2003, *Enforced cytokinesis without complete nuclear division in embryonic cells depleting the activity of DNA topoisomerase IIalpha*, *Genes Cells*, 8:393-402; Amirlak and Couldwell, 2003, *Apoptosis in glioma cells: review and analysis of techniques used for study with focus on the laser scanning cytometer*, *J. Neurooncol.*, 63:129-45; Balmer et al., 2003, *Elevated methyl-CpG-binding protein 2 expression is acquired during postnatal human brain development and is correlated with alternative polyadenylation*, *J Mol Med.*, 81:61-8; Baskin et al., 2003, *Thimerosal Induces DNA Breaks, Caspase-3 Activation, Membrane Damage, and Cell Death in Cultured Human Neurons and Fibroblasts*, *Toxicol. Sci.*, 74:361-368; Beliakov et al., 2003, *Hormone-Refractory Breast Cancer Remains Sensitive to the Antitumor Activity of Heat Shock Protein 90 Inhibitors*, *Clin Cancer Res.*, 9:4961-4971; Bocsi et al., 2004, *Scanning fluorescent microscopy analysis is applicable for absolute and relative cell frequency determinations*, *Cytometry*, 61A:1-8; Bollmann et al., 2003, *Determination of features indicating progression in atypical squamous cells with undetermined significance*, *Cancer*, 99:113-7; Bollmann, et al., 2003, *Human papillomavirus typing and DNA ploidy determination of squamous intraepithelial lesions in liquid-based cytologic samples*, *Cancer*, 99:57-62; Braunschweig et al., 2004, *X-chromosome inactivation ratios affect wild-type MeCP2 expression within mosaic Rett syndrome and Mecp2-/+ mouse brain*, *Hum. Mol. Genet.*, 13:1275-86; Brower, 2003, *Evidence of Efficacy: Researchers Investigating Markers for Angiogenesis Inhibitors*, *J Natl Cancer Inst.*, 95:1425-1427; Cai et al., 2003, *Toxicity of Acetaminophen, Salicylic Acid, and Caffeine for First-Passage Rat Renal Inner Medullary Collecting Duct Cells*, *J. Pharmacol. Exp. Ther.*, 306:35-42; Cheng et al., 2003, *Immunocytochemical analysis of prostate stem cell antigen as adjunct marker for detection of urothelial transitional cell carcinoma in voided urine specimens*, *J. Urol.*, 169:2094-100; Chung et al., 2003, *Tea and Cancer Prevention: Studies in Animals and Humans*, *J. Nutr.*, 133:3268 S-3274S; Claytor et al., 2003, *The cleaved peptide of PAR1 is a more potent stimulant of platelet-endothelial cell adhesion than is thrombin*, *J Vasc Surg.*, 37:440-5; Crowder et al., 2004, *PML mediates IFN α induced apoptosis in myeloma by regulating TRAIL induction*, *Blood*; Cummins et al., 2003, *Persistent Localization of Activated Extracellular Signal-Regulated Kinases (ERK1/2) Is Epithelial Cell-Specific in an Inhalation Model of Asbestosis*, *Am J Pathol.*, 162:713-20; D'Amico et al., 2003, *The Role of Ink4a/Arf in ErbB2 Mammary Gland Tumorigenesis*, *Cancer Res.*, 63:3395-3402; Davis et al., 2003, *Automated quantification of apoptosis after neoadjuvant chemotherapy for breast cancer: early assessment predicts clinical response*, *Clin Cancer Res.*, 9:955-60; Davis et al., 2003, *Surrogate markers in antiangiogenesis clinical trials*, *Br J Cancer*, 89:8-14; Davis, et al., 2003, *Antiangiogenic tumor therapy*, *Biotechniques*, 34:1048-50, 1052, 1054 passim; Davis et al., 2004, *Quantitative Analysis of Biomarkers Defines an Optimal Biological Dose for Recombinant Human Endostatin in Primary Human Tumors*, *Clin. Cancer Res.*, 10:33-42; Denmeade et al., 2003, *Prostate-Specific Antigen-Activated Thapsigargin Prodrug as Targeted Therapy for Prostate Cancer*, *J Natl Cancer Inst.*, 95:990-1000; Dmitrieva et al., 2003, *High NaCl causes Mre11 to leave the nucleus, disrupting DNA damage signaling and repair*, *Am J Physiol Renal Physiol.*, 285:F266-274; Dmitrieva et al., 2004, *Cells adapted to high NaCl have many DNA breaks and impaired DNA repair both in cell culture and in vivo*, *PNAS*, 101:2317-2322; Doyle et al., 2004, *Toll-like Receptors Induce a Phagocytic Gene Program through p38*, *J. Exp. Med.*, 199:81-90; Fortunel et al., 2003, *Long-term expansion of human functional epidermal precursor cells: promotion of extensive amplification by low TGF- β 1 concentrations*, *J. Cell Sci.*, 116:4043-4052; Foster et al., 2004, *Laser scanning cytometry for the detection of neoplasia in urologic cytology specimens*, *Cancer*, 102:115-23; Furuta et al., 2003, *Phosphorylation of Histone H2AX and Activation of Mre11, Rad50, and Nbs1 in Response to Replication-dependent DNA Double-strand Breaks Induced by Mammalian DNA Topoisomerase I Cleavage Complexes*, *J. Biol. Chem.*, 278:20303-20312; Furuya et al., 2004, *A Novel Technology Allowing Immunohistochemical Staining of a Tissue Section with 50 Different Antibodies in a Single Experiment*, *J. Histochem. Cytochem.*, 52:205-210; Gerstner et al., 2004, *Eosinophilia in nasal polyposis: its objective quantification and clinical relevance*, *Clin Exp Allergy*, 34:65-70; Gerstner et al., 2003, *Analysis of ploidy in hypopharyngeal cancer by laser scanning cytometry on fine needle aspirate biopsies*, *Anal Cell Pathol.*, 25:51-62; Gerstner et al., 2003, *Slide-based cytometry for predicting malignancy in solid salivary gland tumors by fine needle aspirate biopsies*, *Cytometry*, 53B:20-5; Gerstner et al., 2004, *Quantitative histology by multicolor slide-based cytometry*, *Cytometry*, 59A:210-9; Gniadecki, and Bang, 2003, *Flotillas of Lipid Rafts in Transit Amplifying Cell-Like Keratinocytes*, *J. Invest. Dermatol.*, 121:522-528; Gniadecki and Rossen, 2003, *Expression of T-cell activation marker CD134 (OX40) in lymphomatoid papulosis*, *Br J. Dermatol.*, 148:885-91; Greene et al., 2004, *Secretory Leucoprotease Inhibitor Impairs Toll-Like Receptor 2- and 4-Mediated Responses in Monocytic Cells*, *Infect. Immun.*, 72:3684-3687; Griffin et al., 2003, *Neutrophil elastase up-regulates human beta-defensin-2 expression in human bronchial epithelial cells*, *FEBS Lett.*, 546:233-6; Gui and Zheng, 2003, *Epidermal Growth Factor Induction of Phenotype-dependent Cell Cycle Arrest in Vascular Smooth Muscle Cells Is through the Mitogen-activated Protein Kinase Pathway*, *J. Biol. Chem.*, 278:53017-53025; Haider et al., 2003, *Dual Functionality of Cyclooxygenase-2 as a Regulator of Tumor Necrosis Factor-Mediated G1 Shortening and Nitric Oxide-Mediated Inhibition of Vascular Smooth Muscle Cell Proliferation*, *Circulation*, 108:1015-1021; Haider et al., 2003, *In vitro model of "wound healing" analyzed by laser scanning cytometry: Accelerated healing of epithelial cell monolayers in the presence of hyaluronate*, *Cytometry*, 53A: 1-8; Heitmann et al., 2003, *Solution structure of the matrix attachment region-binding domain of chicken MeCP2*, *Eur. J. Biochem.*, 270:3263-3270; Hennerbichler et al., 2003, *Fetal nucleated red blood cells in peripheral blood of pregnant women: detection and determination of location on a slide using laser-scanning cytometry*, *Prenat Diagn.*, 23:710-5; Heymach et al., 2004, *Phase II study of the antiangiogenic agent SU5416 in patients with advanced soft tissue sarcomas*, *Clin Cancer Res.*, 10:5732-40; Hirabayashi et al., 2004, *The Wnt/ β -catenin pathway directs neuronal differentiation of cortical neural precursor cells*, *Development*, 131:2791-