



- (ii) R<sup>2</sup> represents a substituted alkyl group;
- (ii)' R<sup>7</sup> represents a substituted alkyl group;
- (iii) R<sup>8</sup> represents an aryl group having 2 or more substituent groups;
- (iv) Two or more substituent groups represented by —NR<sup>170</sup>SO<sub>2</sub>R<sup>171</sup> are present in the molecule, and R<sup>170</sup> and R<sup>171</sup> each represents independently a hydrogen atom, aliphatic group or aromatic group; and
- (v) One or more carboxyl groups are present in the molecule.


19. An ink jet recording method according to claim 18, wherein the oil-soluble dye is at least one compound represented by any one of formulae (2-1) to (2-5):




(2-1)




(2-3b)




(2-4)



(2-2)



(2-5)



(2-3a)

wherein in the formulae (2-1) to (2-5) X, Y, R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup>, R<sup>6</sup>, R<sup>7</sup> and R<sup>8</sup> have the same meanings as defined above in the formula (1); wherein in the formula (2-1) R<sup>201</sup> and R<sup>202</sup> each represents a C<sub>1-18</sub> alkyl group having a substituent group, the substituent group is at least one member selected from the group consisting of a heterocyclic group, cyano, —OR<sup>141</sup>, —SR<sup>142</sup>, —CO<sub>2</sub>R<sup>143</sup>, —OCOR<sup>144</sup>, —NR<sup>145</sup>R<sup>146</sup>, —CONR<sup>147</sup>R<sup>148</sup>, —SO<sub>2</sub>R<sup>149</sup>, —SO<sub>2</sub>NR<sup>150</sup>R<sup>151</sup>, —NR<sup>152</sup>CONR<sup>153</sup>R<sup>154</sup>, —NR<sup>155</sup>CO<sub>2</sub>R<sup>156</sup>, —COR<sup>157</sup>, —NR<sup>158</sup>COR<sup>159</sup> and —NR<sup>160</sup>SO<sub>2</sub>R<sup>161</sup>, and R<sup>141</sup>, R<sup>142</sup>, R<sup>143</sup>, R<sup>144</sup>, R<sup>145</sup>, R<sup>146</sup>, R<sup>147</sup>, R<sup>148</sup>, R<sup>149</sup>, R<sup>150</sup>, R<sup>151</sup>, R<sup>152</sup>, R<sup>153</sup>, R<sup>154</sup>, R<sup>155</sup>, R<sup>156</sup>, R<sup>157</sup>, R<sup>158</sup>, R<sup>159</sup>, R<sup>160</sup> and R<sup>161</sup> each represents independently a hydrogen atom, aliphatic group or aromatic group; wherein in the formula (2-2) R<sup>203</sup> represents a C<sub>1-10</sub> substituted alkyl group; wherein in the formulae (2-3a) and (2-3b), R<sup>204</sup>,