



US 20100099062A1

(19) **United States**

(12) **Patent Application Publication**
Murphy et al.

(10) **Pub. No.: US 2010/0099062 A1**

(43) **Pub. Date: Apr. 22, 2010**

(54) **BRaille CELL CAP**

(75) Inventors: **Patrick Murphy**, Riverview, FL (US); **Todd Conard**, Ruskin, FL (US); **Waldemar Tunkis**, Palm Harbor, FL (US); **Michael Goldenberg**, Melbourne Beach, FL (US); **Carlos Rodriguez**, Palm Harbor, FL (US)

(60) Provisional application No. 60/481,979, filed on Jan. 30, 2004.

Publication Classification

(51) **Int. Cl.**
G09B 21/00 (2006.01)
(52) **U.S. Cl.** **434/114**

Correspondence Address:
FOLEY & LARDNER LLP
111 HUNTINGTON AVENUE, 26TH FLOOR
BOSTON, MA 02199-7610 (US)

(57) **ABSTRACT**

An electromechanical Braille cell assembly includes a plurality of parallel bimorph reeds. A first plurality of bimorph reeds is mounted to a first side of a printed circuit board by a first plurality of clips and a second plurality of bimorph reeds is mounted to a second side of the printed circuit board by a second plurality of clips. A frame has a top wall, a bottom wall, a first side wall in the form of an angle wall and a second side wall in the form of a flat wall. Pinholes are formed in the angle wall to accommodate Braille pins and the flat wall is slotted to accommodate a plurality of printed circuit boards. A monolithic cap covers all of the Braille pins. Pinholes formed in the cap receive the respective tips of the Braille cells when actuated bimorph reeds cause displacement of the Braille pins.

(73) Assignee: **Freedom Scientific Inc.**

(21) Appl. No.: **12/645,654**

(22) Filed: **Dec. 23, 2009**

Related U.S. Application Data

(63) Continuation of application No. 12/115,302, filed on May 5, 2008, which is a continuation of application No. 10/711,427, filed on Sep. 17, 2004, now Pat. No. 7,367,806.

