US 20210260086A1

(19) United States

(12) Patent Application Publication

SENTER et al.

(10) Pub. No.: US 2021/0260086 A1

(43) Pub. Date: Aug. 26, 2021

(54) **METHODS OF INHIBITION OF PROTEIN FUCOSYLATION IN VIVO USING FUCOSE ANALOGS**

(71) Applicant: **Seagen Inc.**, Bothell, WA (US)

(72) Inventors: **Peter SENTER**, Bothell, WA (US); **Stephen ALLEY**, Bothell, WA (US); **Dennis BENJAMIN**, Bothell, WA (US)

(21) Appl. No.: **17/315,144**

(22) Filed: **May 7, 2021**

Related U.S. Application Data

(60) Division of application No. 16/452,160, filed on Jun. 25, 2019, now Pat. No. 11,033,561, which is a continuation of application No. 15/299,894, filed on Oct. 21, 2016, now Pat. No. 10,342,811, which is a continuation of application No. 13/814,083, filed on Feb. 4, 2013, now Pat. No. 9,504,702, filed as application No. PCT/US2011/046857 on Aug. 5, 2011.

(60) Provisional application No. 61/371,116, filed on Aug. 5, 2010.

Publication Classification

(51) **Int. Cl.**

A61K 31/7004	(2006.01)
A61K 31/7024	(2006.01)
A61K 31/7042	(2006.01)
A61K 31/706	(2006.01)
A61K 39/00	(2006.01)
C07K 16/00	(2006.01)
C07K 16/18	(2006.01)
A61P 31/00	(2006.01)
A61P 37/00	(2006.01)
A61P 35/00	(2006.01)
A61K 31/70	(2006.01)
A61K 31/7028	(2006.01)
A61K 31/7048	(2006.01)
A61K 9/00	(2006.01)
A61K 45/06	(2006.01)

(52) **U.S. Cl.**

CPC ***A61K 31/7004*** (2013.01); *A61K 2039/54* (2013.01); ***A61K 31/7042*** (2013.01); ***A61K 31/706*** (2013.01); ***A61K 39/0011*** (2013.01); ***C07K 16/00*** (2013.01); ***C07K 16/18*** (2013.01); ***A61P 31/00*** (2018.01); ***A61P 37/00*** (2018.01); ***A61P 35/00*** (2018.01); ***A61K 31/70*** (2013.01); ***A61K 31/7028*** (2013.01); ***A61K 31/7048*** (2013.01); ***A61K 9/0053*** (2013.01); ***A61K 45/06*** (2013.01); *A61K 2039/5152* (2013.01); *A61K 2039/545* (2013.01); *C07K 2317/41* (2013.01); *Y02A 50/30* (2018.01); ***A61K 31/7024*** (2013.01)

(57) **ABSTRACT**

The invention provides methods and compositions for the inhibition of fucosylation of proteins, including antibodies, in vivo by administration of a fucose analog.